

**weinor**

Manchester Awnings Ltd  
[www.manchesterawnings.co.uk](http://www.manchesterawnings.co.uk)

**Manchester Awnings**

Commercial & Residential

# PATIO PLEASURE

weinor awnings



Frame colour RAL 7040 | Decorative panel Silver aluminium | Pattern 3-865 cement | Valance Plus Soltis® 86-2048 alu/alu



Design your dream patio yourself!

[www.weinor.com/3d-designer](http://www.weinor.com/3d-designer)





weinor **AWNINGS**  
 High-quality sun protection  
 that is always suitable from Manchester Awnings,  
 an approved weinor supplier

Resilient and long-lasting: weinor folding arm awnings are a combination of high-calibre design and premium technology. Depending on where you want to install your awning, the desired level of convenience and awning features, you can choose from three awning categories.



**Cassette awnings**  
 The cassette keeps the awning fabric and mechanism as safe as houses – the perfect solution if you’re looking for the best-possible way to protect your awning.

- Kubata/LED . . . 8
- Opal Design II/LED . . . 12
- Semina Life/LED . . . 16
- Smalla . . . 18
- Cassita II/LED . . . 22
- I/K/N 2000 . . . 24



**Semi-cassette awnings**  
 On the semi-cassette awning, the fabric as well as the mechanical parts for the awning roof and retracted drop profile are tucked away safe and sound. For added protection compared to an open awning.

Semina . . . 26



**Open awnings**  
 An open awning is at the entry level to weinor’s awning world. It is a suitable option if there is an overhang or balcony to protect the awning from the elements.

Topas II . . . 28



# weinor **AWNINGS** – highlights

## DESIGN



## COMFORT

For many years now, weinor has consistently driven innovation in terms of awning design. weinor sets the standards with design and technological features.


## TECHNOLOGY



### **Design is a question of style – uncompromisingly beautiful shape**

Whether classic or modern, weinor awnings stand out for their high-quality materials and aesthetic look and shape.

The result is ultramodern technology in a contemporary design. Feel free to choose the awning that best meets your personal tastes and furnishings.



### **For long evenings on the patio – atmospheric LED lighting**

Every awning is optionally available with integrated LED lighting or different light bars. Powerful LED spotlights cast a pleasant, warm white light even when the awning is retracted. The particularly energy-efficient dimmable LED spotlights have an operating life of 30,000 hours. Control everything via hard wired switch, remote control using a hand transmitter, Smart Home via smartphone, or automatic weather control sensors.



### **True to its name – the weinor LongLife arm**

The appeal of the low-noise weinor LongLife arm is its very high tension force – even in gusty conditions. This ensures the fabric is exceptionally well positioned. Its resilient high-tech belt has undergone 100,000 cycles in a fatigue test. We back this up with a 10-year warranty. Drop-forged aluminium has been added to the arm joint for even greater stability.



Frame colour WT 029/80081

## Kubata/LED clear | consistent | cubic

Cubic shapes are a popular style element for contemporary facades. The Kubata cassette awning blends ideally into these. With its clear design, it complements modern house architecture perfectly. It is particularly suitable for large patios. But the high-quality technology also convinces: dimmable LED spotlights integrated into the cassette, the weinor LongLife arm and the large choice of fabrics and frame colours – leaving nothing to be desired. Control everything via hard wired switch, remote control using a hand transmitter, Smart Home via smartphone, or automatic weather control sensors.



Frame colour WT 029/90146 | Pattern 4-685 slate/white

## The house and awning in harmony

With its cubic shape, the Kubata cassette awning blends perfectly into modern house architecture as a stylish design element. Due to the flush wall connection, the sun protection and facade also form a balanced symbiosis which meets the highest aesthetic requirements.

Honoured with:



## Kubata/LED – highlights and features



### Cubic, clean lines – modern contemporary design

The all-round enclosed and robust awning cassette keeps the fabric and other component parts just as well protected from

the elements as the controlled rain drainage within the front profile. As a result, you can enjoy your sun protection for many years.



### Atmospheric light, powerful warmth

Spend pleasant evenings under the LED spotlights integrated into your awning cassette. You can even enjoy your patio at cooler times with the Tempura Quadra Universal heating system. It can be retrofitted and is

unobtrusively fitted to the house facade. Everything is dimmable via remote control using a hand transmitter or Smart Home via smartphone or tablet.



### weinor LongLife arm – guaranteed to be resilient and durable

The LongLife arm on the Kubata is extremely quiet, lightweight and yet extremely robust due to the use of drop-forged aluminium.

- exceptionally durable high-tech belt with over 100,000 cycles in fatigue test
- 10-year warranty
- for exceptional fabric positioning



### Wind lock safety device – well-sheltered even in winds

Proven technology prevents the awning from lifting up when wind gusts from below:

- Tilting folding arm with wind lock safety device
- Proven, maintenance-free technology
- Forged and extruded aluminium components

### Kubata/LED

|                 |                         |
|-----------------|-------------------------|
| Max. width      | 7 m at 3.0 m projection |
| Max. projection | 4 m at 6.5 m width      |



Frame colour WT 029/80077 | Pattern 3-509 oyster



[www.weinor.com/opaldesign](http://www.weinor.com/opaldesign)



Frame colour WT 029/80077 | Pattern 3-865 cement

## Opal Design II/LED

### Live it up on your patio

High-performance technology meets high-calibre design – the weinor Opal Design II meets all the demands of a premium cassette-awning. Built to shade large areas, its timelessly classic shape blends in perfectly with any style of architecture. The beautifully-shaped cassette adds some refined sophistication to the facade. A wealth of product highlights makes the awning easy to use, outstandingly convenient in its operation and durable.



Frame colour RAL 9016

## The first-class awning with great features

With Valance Plus and integrated LED lighting, the Opal Design II lives up to the highest demands. Multi-section units convert even large patios into well-shaded favourite areas.

Honoured with:



## Opal Design II/LED – highlights and features



### Classic design for those who enjoy spacious patios

Large, powerful and safe – the Opal Design II has enough to convince even the most demanding patio aficionados.

- timelessly classic design
- certified up to wind force 5
- with weinor LongLife arm (10-year warranty)



### End cap closure – unique and safe closing mechanism

If you can see the spring loaded clips at the end of the cassette are closed, then the awning is reliably protected against the elements and dirt.

- crescent-shaped cap closes securely
- unique, patented solution made by weinor



### Integrated LED lighting for long evenings on the patio

The Opal Design II LED casts an atmospheric, warm white light for even longer hours of enjoyment on the patio.


- operating life of 30,000 hours
- highly energy-efficient
- dimmable via remote control using a hand transmitter or Smart Home via smartphone or tablet
- can be used even when awning is retracted



### Valance Plus – more privacy, more glare protection

With its vertical awning, the Opal Design II Valance Plus provides the best-possible privacy, anti-glare and sun protection.

- valance height up to 210 cm
- patented weinor Opti-Flow-System® for the ideal fabric positioning
- practical control – via weinor BiConnect even with table retraction protection



### Multi-section units to shade especially large areas

On combined multi-section systems, two sections of fabric are connected to one motor. This means they can both be operated at the same time (does not apply to Valance Plus option).

- for spacious patios up to 48 m²
- jockey cover as connector between the units

#### Opal Design II/LED

| Max. width  | Max. projection |
|-------------|-----------------|
| 6.5 m/12* m | 4 m             |

\* 2-unit systems

#### Valance Plus option

| Max. width | Max. projection | Valance Plus projection |
|------------|-----------------|-------------------------|
| 5/6 m      | 3.5/3 m         | 1, 1.5, 2.1 m           |



Frame colour WT 029/90147 | Pattern 3-718-haze

[www.weinor.com/seminalife](http://www.weinor.com/seminalife)

## Semina Life/LED

### A genuine all rounder

Semina Life is the all rounder amongst cassette awnings. It stands out with its fresh design, modern clean lines and many features. This combined with weinor's tried and tested technology make it such an attractive alternative to semi cassette awnings. Its many unique technical highlights provide superb sun protection, comfort and a long operating life.

Honoured with:




## Semina Life/LED – highlights and features



### Youthful design with state-of-the-art technology

The Semina Life cassette protects the awning against the weather. The beautifully shaped stainless steel look headplate rings perfectly round off your customised combination of frame colour and fabric pattern.

- modern, clear design
- innovative closing of the awning causing practically no wear at all



### Semina Life LED – cassette with integrated LED lighting

The LED spotlights integrated into the cassette produce atmospheric lighting on the patio.

- operating life of 30,000 hours
- highly energy-efficient
- dim mable via remote control using a hand transmitter or Smart Home via smartphone or tablet



### Valance Plus – vertical privacy and sun protection

The Valance Plus is elegantly integrated into the awning's front profile. It provides privacy and glare protection even with a low-lying sun.

- continuously extendable up to 210 cm
- patented weinor Opti-Flow-System® for the ideal fabric positioning
- practical control – via weinor BiConnect even with table retraction protection

#### Semina Life/LED

| Max. width | Max. projection |
|------------|-----------------|
| 6.5 m      | 4 m             |

#### Valance Plus option

| Max. width | Max. projection | Valance Plus projection |
|------------|-----------------|-------------------------|
| 6 m        | 3.5 m           | 1, 1.5, 2.1 m           |



Frame colour WT 029/80077 | Decorative panel Silver aluminium | Pattern 3-627 titanium



[www.weinor.com/smaila](http://www.weinor.com/smaila)



Frame colour RAL 7040 | Decorative panel Silver aluminium | Pattern 3-865 cement

## **Smaila** The small, cubic awning

If you are looking for high-quality, elegant and individual sun protection for the small patios/terraces or balconies, Smaila is the perfect solution. The cassette awning from weinor offers an abundance of options to place fantastic optical accents in your outdoor area. And the very modern technical features with top quality "Made in Germany" also leave nothing to be desired.



Frame colour RAL 7040 | Decorative panel Silver aluminium | Pattern 3-865 cement | Valance Plus Soltis® 86-2048 alu/alu

## A lot of style in a little space

Smaila stands for modern outdoor living. It's not just the attractive design and durable technology that deliver. The clever, high-quality accessories, such as integrated LED spotlights, also ensure even more comfort and atmosphere on balconies and patios. Allowing you to experience pleasant feel-good moments in small outdoor areas.

Honoured with:




## Smaila – highlights and features



### Custom design

Smaila offers you a host of options to place fantastic accents on the balcony or patio.

- sophisticated cubic shape
- 5 chic decorative end cap designs
- inspiring fabric patterns



### Atmospheric light, powerful warmth

Anyone who likes spending long evenings outdoors should not miss out on these options:

- continuously dimmable LED spotlights integrated into the awning cassette
- efficient and pleasant warmth with the Tempura Quadra heating system



### A sun protection benefit – solar drive included

Smaila can optionally have a Valance Plus added. This vertical sun protection is integrated into the front profile of the awning.

- sun, privacy and glare protection from the front
- integrated solar drive for automatic extending and retracting, independent of a power supply



### Versatile

Smaila offers the perfect aesthetic solution to suit any type of architecture or facade – with a variety of installation options to enhance any patio, terrace or balcony.

- wall mounting
- ceiling mounting
- rafter mounting

### Smaila

| Max. width  | Max. projection |
|-------------|-----------------|
| 5.5 m / 3 m | 3.5 m / 5 m     |

### Valance Plus option

| Max. width | Max. projection | Valance Plus projection |
|------------|-----------------|-------------------------|
| 5 m        | 3 m             | 1 m                     |



Frame colour WT029/90146 | Pattern 3-860 fern

[www.weinor.com/cassita](http://www.weinor.com/cassita)

## Cassita II/LED

### A jewel amongst cassette awnings

Slim design and jam-packed with technology – with its puristic shape and ultra-slim cassette, the Cassita II is a perfect match for modern domestic trends. With numerous options for added comfort and convenience.

Honoured with:



## Cassita II/LED – highlights and features



### Youthful living with slim cassette design

For contemporary home decor aficionados: the outstanding feature of the Cassita II is its puristic, harmoniously flat, oval-shaped design

- beautifully-shaped aluminium end caps
- concealed fixings and screws
- easy end fix installation with only two brackets



### Gap infill profile for a seamless look

If you prefer a uniform look, you can close the gap between the awning cassette and the wall upon request with a gap infill profile.

- continuous design, also without LED lighting
- harmonious attachment option for the remote receiver (instead of a box)



### High-performance technology in minimal space

Fully sheltered: inside the cassette is the very latest in weinor awning technology

- durable and very quiet weinor LongLife arm (10-year warranty)
- torsion-resistant Optimut tube ensures ideal fabric positioning



### LED lighting – long evenings on the patio included

Pleasant summer evenings on your patio – the Cassita II LED provides warm, white atmospheric LED light.

- highly energy-efficient
- operating life of 30,000 hours
- dimmable via remote control using a hand transmitter or Smart Home via smartphone or tablet
- can be used even when awning is retracted

### Cassita II/LED

| Max. width | Max. projection |
|------------|-----------------|
| 5.5 m      | 3 m             |



Frame colour RAL 9016 | Pattern 3-830 banana

www.weinor.com/ikn2000

## I 2000/K 2000/N 2000

### Proven technology, timeless design

The I 2000 and K 2000 cassette-awnings are true classics. With these weinor offers solutions for any type of building – available with or without a back profile. The N 2000 was especially designed for alcoves, shop fronts and niche installations.

## I 2000/K 2000/N 2000 – highlights and features



### Flexible all-rounders for any facade

With its classic proportions and extensively tested concept, this cassette-awning is the ideal fit for any type of building.


- 1-unit systems up to 7 m in width with 4 m projection
- durable and very quiet weinor LongLife arm (10-year warranty)



### Perfect protection and versatile installation

Once the awning is retracted, both the fabric and the mechanical parts are safely protected inside the cassette. A number of versions are available depending on where the awning is to be fitted.

- K 2000 with fully closed cassette for any type of building
- I 2000 without rear wall profile, for wall installation



### Multi-section units for large patios

Coupled 2-piece constructions are suitable for particularly large patios and can be controlled via cables, remote controllers or Smart Home, via hand transmitters, smartphones or automatic weather systems.

- for sun protection up to 12 m wide and a projection of up to 4 m
- continuous fabric, or jockey cover to join two sections of fabric



### N 2000 – The specialist awning for niche installations

The ultraflat front profile on the N 2000 makes it the ideal choice for installation in facade niches..

- front profile fits flush with the wall or facade
- tilting arm closure assembly ensures the front profile closes very precisely

#### I 2000/K 2000

| Max. width | Max. projection |
|------------|-----------------|
| 7 m /12* m | 4 m             |

\* 2-unit systems

#### N 2000

| Max. width | Max. projection |
|------------|-----------------|
| 6 m        | 3.5 m           |



Frame colour WT 029/90146 | Pattern 3-865 cement

[www.weinor.com/semina](http://www.weinor.com/semina)

## Semina

### Youthful design meets powerful technology

The compact Semina semi-cassette is great in price, functionality and design. It offers a straightforward design and outstanding quality.

## Semina – highlights and features



### The compact semi-cassette – fresh, youthful aesthetic appearance

Here, the semi-circular cassette profile together with large front profile ensure the fabric and mechanical parts remain dirt-free.

- compact shape
- durable and very quiet weinor LongLife arm (10-year warranty)



### Energy-efficient – the optional LED light bar

Even more hours of enjoyment on your patio – the optionally available LED light bar provides a pleasant warm white light in the evenings.

- highly energy-efficient
- operating life of 30,000 hours
- dimmable via remote control using a hand transmitter or Smart Home via smartphone or tablet
- can be used even when awning is retracted



### Wind lock safety device – protecting your awning

The weinor tilting folding arm with proven wind lock safety device prevents the awning from being lifted up by the wind.

- proven, maintenance-free technology
- all components made of forged and extruded aluminium

### Semina

| Max. width | Max. projection |
|------------|-----------------|
| 7 m        | 3.5 m           |

**NEW!**



Frame colour WT 29/90147 | Pattern 3-501 beige


[www.weinor.com/topas2](http://www.weinor.com/topas2)

## Topas II

### The classic entry-level model

The weinor Topas II open awning has all the important functions of modern sun protection. It has a high-quality finish and provides timeless, pure design.


## Topas II – highlights and features



### Valance Plus – sun, privacy and glare protection from the front

The height-adjustable Valance Plus on the front profile of the awning ensures even more enjoyment outdoors with additional sun protection.

- more privacy
- glare protection from the front
- protection when the sun is low



### Versatile use – also in niches and under balconies

As it is available in several different versions, Topas II provides a suitable solution for almost any installation situations.

Possible mounting options:

- wall mounting
- ceiling mounting
- rafter mounting




### Quality accessories for lots of feel-good moments

High-quality product supplements extend your time spent outdoors and ensure better durability of the fabric and mechanical parts.

- seamless integration of a light bar
- solid safety shield
- attractive, solid metal valance

| Topas II    |                 | Valance Plus option |                 |                         |
|-------------|-----------------|---------------------|-----------------|-------------------------|
| Max. width  | Max. projection | Max. width          | Max. projection | Valance Plus projection |
| 7 m / 12* m | 4 m             | 6 m / 3 m           | 3.5 m / 5.5 m   | 1, 1.5, 2.1 m           |

\* 2-unit system



Frame colour WT 029/71289 | Pattern 3-598 carmine

## The right control unit to suit all needs

Whether hard wired, remote control or Smart Home, using a hand transmitter, smartphone or automatic weather control – control your awning and accessories really effortlessly with weinor BiConnect or Somfy control units. A gear drive is also possible. The LED lighting and heating can be dimmed fine-tuned via remote control or Smart Home. Your weinor retailer will be happy to advise you competently.

## Which control unit fits your needs?



Manual ★

### Manual – operation via gear handle

You'd like to operate your awning manually and under your own steam? With a gear handle, it is independent of a power source and can be attached very flexibly at almost all installation locations.



Basic ★★

### Basic – operation with a hard wired switch or automatic weather system

You would like to operate your weinor awning comfortably via a hard wired wall switch? Your motorised awning can be effortlessly extended and retracted with a simple switch. Optionally, an automatically controlled unit can be used with a sun, wind and rain sensor instead of a hard wired switch.



Comfort ★★★

### Convenience – operation with a remote controller plus dimming heating and lighting

You would like to control your weinor awning comfortably via remote control from the patio or the house? That's pretty easy with a remote controller. Optionally, the lighting and the radiant heater can be activated with it and even be dimmed. You can also operate vertical sun protection or further awnings on the house centrally by this means.



Smart ★★★★

### Smart – operation with a smart phone, language assistant or pre-set

You'd like to connect your weinor awning, lighting, radiant heater, or other accessories to other devices in your home and control them from anywhere by smartphone or tablet? This is child's play with the weinor BiConnect box or Tahoma Switch from Somfy smart home solution! Also if you would like to operate it using a voice assistant or a pre-set automatic scenario.

Please note that the weinor BiConnect and Somfy systems cannot be combined.



weinor BiEasy

weinor Smart-Home BiConnect box & app



Somfy Smoove Pure Shine

Somfy Situo Pure II

Somfy Smart-Home Tahoma Switch & app

## More comfort with side awnings



### Paravento – side privacy screen at a flick of the wrist

Our extendable side screen provides a further possibility to better enjoy more privacy: Paravento provides wind and

privacy protection and its fabric and colour can be matched to your awning.

# The fabric makes the awning

Breathtakingly beautiful and long-lasting: Our wide range of fabric patterns brings a cosy atmosphere outdoors – uniquely and specifically suited to your individual style and taste.

**Attractive awning fabrics to suit every taste**



The exquisite my collections 2 fabrics captivate with exciting, new weaving effects, state-of-the-art colouring as well as 12 exclusive patterns – for modern outdoor living or the classical home style.

#### **modern basics** <sup>blue</sup>

The first sustainable awning fabrics designed by weinor were accoladed along with 7 design and sustainability prizes. We have now expanded them as a collection – for everyone who really cares about the future.

#### **evermore**

Innovative patterns with novel structures provide timeless, harmonious fabrics in beige and grey with an individual touch. With new interpretations of the trend topic grey, fans of classical colours absolutely get their money's worth.

#### **hi hello!**

Colourful fabrics with innovative weaving accents provide your outdoor living space with vitality and joy with their sunny atmosphere. If you like to provide strong colour accentuation with your awning fabric, you can find a wide selection of lively patterns here.

You can find further manufacturers' information for our awning fabrics and the Industrieverband Technische Textilien, Rollladen, Sonnenschutz [Industrial Association for Technical Textiles, Roller Shutters and Sun Protection] (ITRS e. V.) under: [www.weinor.com/fabric-qualities](http://www.weinor.com/fabric-qualities)

**Vertical sun protection fabrics with a crystal-clear view**



weinor vertical awnings reliably protect the patio and indoor rooms against overheating and your privacy against prying eyes. We recommend the screens by weinor® collection for this application.

It encompasses three different, high-quality fabrics: StarScreen, Soltis® and fibreglass screen. They all offer perfect sun protection and privacy for windows, the patio and balconies. Different degrees of transparency and to how much air is let through are possible, depending on requirements.

**Note: Soltis® fabrics are not available for VertiTex II Zip.**




## Precisely my fabric!

**modern basics** <sup>blue</sup> · **evermore** · **hi hello!**

You can find your favourite pattern in our 3-part collection. Select a proven woven awning cover or our uncompromisingly high quality fabrics made from recycling material. No matter whether you're looking for timelessly harmonious colours or creative trends – we have the right fabric for all styles and each weinor awning.

## 47 standard RAL colours



## Over 200 modern frame colours

Maximum colour safety: weiner has over 200 different frame colours for you to choose from. You can choose from diverse colours which harmonise with the architecture.


### Identical colours – for a perfect match

As weiner does all the powder coating in its own workshop, you can also rest assured that different weiner products come with the same top-class colour tonality and identical gloss level.

### Choose from an abundance of high-quality colours:

- 47 standard RAL rack colours, silk gloss
- 9 scratchproof, resistant trend colours with an elegant textured look (standard)
- over 150 special RAL colours

## 9 trend colours



# Award-winning design

Numerous design awards bear testimony to our commitment to provide good designs:



Smaila cassette awning, 2024  
 Artares louvred roof, 2023  
 Terrazza Sempra patio roof, 2022  
 modern basics blue®  
 Sustainable awning fabric collection, 2022  
 Kubata cassette awning, 2019  
 Terrazza Pure patio roof, 2019  
 VertiTex II vertical-awning, 2019 (special mention)  
 w17 easy full glass sliding door, 2018  
 Opal Design II cassette awning, 2014 (special mention)



modern basics blue®  
 sustainable awning fabric  
 collection, 2021



weinor PergoTex II  
 pergola awning, 2016



Artares louvred roof, 2022  
 modern basics blue®  
 sustainable awning fabric collection, 2021  
 Terrazza Sempra patio roof, 2021  
 Kubata cassette awning, 2019  
 w17 easy full glass sliding door, 2018



Smaila cassette awning, 2024  
 Artares louvred roof, 2022  
 modern basics blue®  
 sustainable awning fabric collection, 2021  
 Tempura Quadra heating system, 2018  
 w17 easy full glass sliding door, 2017  
 Semina Life cassette awning, 2016  
 Cassita II cassette awning, 2014



weinor Glasoase®, 2021



Artares louvred roof, 2022  
 Terrazza Pure  
 patio roof, 2019



modern basics blue®  
 sustainable awning fabric  
 collection, 2021



Plaza Viva  
 pergola awning, 2019

weinor products have received  
 more than 40 awards since 2008.  
**More information at:**  
[www.weinor.com/awards](http://www.weinor.com/awards)



Frame colour WT 029/90146 | Pattern 4-685 slate/white

## Top weinor quality for certain



Premium quality  
 made in Germany



Most definitely  
 an original product

**Embodying innovation** – constant enhancements

**Tried and tested weinor quality** – certified production processes, top standards

**Sustainability and responsibility** – high environmental standards and regular checks

**weinor certificate of authenticity**

Every weinor product is delivered with a certificate of authenticity. Ask your weinor retailer for it!



**Awnings: good to know before you buy!**  
 Benefit from the experience of our weinor  
 retailers – up-to-date, professional and practical!



[www.weinor.com/practical-knowledge-awnings](http://www.weinor.com/practical-knowledge-awnings)

**Important:**

All the illustrated equipment is weatherproof outdoor furniture and accessories.

**Fabric qualities:** weinor awning fabrics meet strict quality requirements and are produced using state-of-the-art production technology. Despite this, blemishes like creases, rippling in the seam and hem area, overstretching in the hem area and honeycombing cannot be ruled out. This has no negative

impact on the quality and operating life and are not a reason for rejection.

For more detailed information  
[www.weinor.com/fabric-qualities](http://www.weinor.com/fabric-qualities)

**Awnings and conservatory awnings:** must be retracted during rain and windy conditions – otherwise there is a risk of water pooling on the fabric. Fabrics that are allowed to become wet may show creasing, wrinkling or honeycombing as well as

having visible water stains. Mould and mildew damage is also a possibility. If taken away wet the awning should be extended as soon as possible once there are dry conditions.

**Frame colours:** depending on the frame colour ordered, we deliver all small parts, as well as gear handles and gear boxes in black (similar to RAL 9005), white (similar to RAL 9016), or in grey (similar to weinor 7319).

# AWNINGS

## Product overview



|  | Kubata/LED  | Opal Design II/LED   | Semina Life/LED                     | Smaila/LED                         | Cassita II/LED  | I2000/K2000/N2000  | Semina               | Topas II  |
|--|---|--|-------------------------------------|------------------------------------|---|--|----------------------|---|
| <b>Technology</b>  | Cassette awnings  |  |                                     |                                    | Cassette awnings  |  | Semi-cassette awning | Open awning   |
| Max. width x max. projection, 1-unit/2-unit systems with continuous fabric or jockey cover | 700 cm x 300 cm<br>650 cm x 400 cm  | 1-unit:<br>650 cm x 400 cm<br>2-unit only jockey cover:<br>1,200 cm x 400 cm | 650 cm x 400 cm                     | 550 cm x 300 cm<br>500 cm x 350 cm | 550 cm x 300 cm   | I/K2000:<br>1-unit: 700 cm x 400 cm<br>2-unit: 1,200 cm x 400 cm<br>N2000: 600 cm x 350 cm | 700 cm x 350 cm      | 1-unit: 700 cm x 400 cm<br>2-unit: 1,200 cm x 400 cm  |
| Cassette size/side dimensions (W x H), incl. standard bracket                              | Kubata/LED:<br>210 mm x 205 mm  | Opal Design II/LED:<br>265 mm x 172 mm                                       | Semina Life/LED:<br>307 mm x 194 mm | Smaila/LED:<br>248 mm x 155 mm     | Cassita II/LED:<br>266 mm x 155 mm  | I/K2000: 198/200 mm x 211 mm<br>N2000: 210 mm x 197 mm                                     | 204 mm x 204 mm      | without roof: 215 x 210 mm<br>with roof: 215 x 215 mm |
| Motor drive  | ● as standard   | ● as standard  | ● as standard                       | ● as standard                      | ● as standard   | ● as standard  | ● as standard        | ● as standard   |
| Gear drive (not possible with LED)   | ○   | ○  | ○                                   | ○                                  | ○   | ○  | ○                    | ○   |
| Angle of pitch on awning   | 5° – 40°  | 5° – 40° (with projection from 351 cm 7° to 40°)                             | 5° – 25°                            | 5° – 40°                           | 5° – 45°, with gear handle 5° – 25°   | 5° – 40°   | 5° – 40°             | 5° – 40°  |
| Installation options   | can be installed on walls, ceilings and rafters   |  |                                     |                                    | can be installed on walls, ceilings and rafters   |  |                      |   |
| Lighting   | Kubata LED  | Opal Design II LED   | Semina Life LED                     | Smaila LED                         | Cassita II LED  | ○ LED Design/3Spot bar   | ○                    | ○ LED Design light bar                                |
| LongLife awning arm  | ●   | ●  | ●                                   | ●                                  | ●   | ●  | ●                    | ●   |
| <b>Valance Plus option</b>   |   |  |                                     |                                    |   |  |                      |   |
| Max. width   | —   | 500 cm/600 cm  | 600 cm                              | 500 cm                             | —   | —  | —                    | 550 cm / 600 cm                                       |
| Max. projection  | —   | 350 cm/300 cm  | 350 cm                              | 300 cm                             | —   | —  | —                    | 350 cm / 300 cm                                       |
| Cassette size side dimensions (W x H) incl. standard bracket                               | —   | Opal Design II/LED:<br>326 mm x 172 mm                                       | Semina Life/LED:<br>367 mm x 194 mm | Smaila/LED:<br>306 mm x 155 mm     | —   | —  | —                    | without roof: 265 x 210 mm<br>with roof: 265 x 215 mm |
| Motor drive (only possible if primarily motor-driven)                                      | —   | ●  | ●                                   | ●                                  | —   | —  | —                    | ●   |
| Gear drive   | —   | ○  | ○                                   | ○                                  | —   | —  | —                    | ○   |
| Angle of pitch on awning   | —   | 10° – 20°  | 10° – 20°                           | 10° – 20°                          | —   | —  | —                    | 10° – 20°   |
| Valance Plus projection (H)  | —   | 100 cm, 150 cm, 210 cm   | 100 cm, 150 cm, 210 cm              | 100 cm                             | —   | —  | —                    | 100 cm, 150 cm and 210 cm                             |
| <b>Frame colours</b>   |   |  |                                     |                                    |   |  |                      |   |
| 47 standard frame colours  | ●   | ●  | ●                                   | ●                                  | ●   | ●  | ●                    | ●   |
| Over 150 other RAL colours   | ○   | ○  | ○                                   | ○                                  | ○   | ○  | ○                    | ○   |
| 9 trend colours  | ●   | ●  | ●                                   | ●                                  | ●   | ●  | ●                    | ●   |
| <b>Fabric collections</b>  |   |  |                                     |                                    |   |  |                      |   |
| my collections 2*  | ●   | ●  | ●                                   | ●                                  | ●   | ●  | ●                    | ●   |
| screens by weinor®   | —   | ○ only Valance Plus  | ○ only Valance Plus                 | ○ only Valance Plus                | —   | —  | —                    | ○ only Valance Plus                                   |
| <b>Accessories, control and quality</b>  |   |  |                                     |                                    |   |  |                      |   |
| Heating system Tempura**   | ○   | ○ attachment with special bracket  | ○ attachment with special bracket   | ○                                  | ○   | ○  | ○                    | ○   |
| Heating system Tempura Quadra**  | ○   | ○ attachment with special bracket  | ○                                   | ○                                  | ○   | ○  | ○                    | ○   |
| weinor BiConnect   | ○   | ○  | ○                                   | ○                                  | ○   | ○  | ○                    | ○   |
| Somfy io-homecontrol   | ○   | ○  | ○                                   | ○                                  | ○   | ○  | ○                    | ○   |
| Somfy RTS  | ○   | ○  | ○                                   | ○                                  | ○   | ○  | ○                    | ○   |
| Weather sensors  | ○   | ○  | ○                                   | ○                                  | ○   | ○  | ○                    | ○   |
| Tested up to   | wind resistance class 1 according to DIN 13561 and wind strength 5 on the Beaufort scale*** |  |                                     |                                    | wind resistance class 1 according to DIN 13561 and wind strength 5 on the Beaufort scale*** |  |                      |   |


\* Of projections of 150 cm and more, exclusively the following fabrics are available for Valance Plus: 3-509, 3-708, 3-716, 3-719, 3-720.  
\*\* Please ensure the gap to the Valance Plus is sufficient. Safer retraction protection with BiConnect.

\*\*\* Adjustment of the test pressures for folding arm awnings in accordance with EU Regulation 2019/1188: With unchanged wind stability (nominal wind pressure 40 N/m<sup>2</sup>), the awnings of wind resistance class 2 are now certified with 1. (For more information, also refer to the guideline for technical advice for folding arm awnings from the IVRSA, Chapter 2.1)



Front cover: **Frame colour** WT 029/90147 | **Pattern** 3-501 cream  
 Back cover: **Frame colour** WT 029/70786 | **Pattern** 3-716 suede

*We reserve the right to make technical changes as well as changes in range and product portfolio. The weinor product range may vary depending on the country. For technical reasons, the colours may appear slightly different when printed.*



Experience the whole weinor.com world

Your weinor retailer will be pleased to advise you:



**Manchester Awnings Ltd**

52 Stothard Road  
 Stretford  
 Manchester  
 M32 9HB  
 0161 706 5555

info@manchesteraawnings.co.uk  
 www.manchesteraawnings.co.uk

**Patent no**

|            |            |
|------------|------------|
| EP 1403442 | EP 2826945 |
| EP 1564364 | EP 3048213 |
| EP 1707736 | EP 3168410 |
| EP 1835089 | EP 3228801 |
| EP 1936062 | EP 3246500 |
| EP 1939105 | EP 3309318 |
| EP 2019346 | EP 3309319 |
| EP 2199484 | EP 3354840 |
| EP 2202376 | EP 3354817 |
| EP 2383402 | EP 3354840 |